

REVERE

SURVIVAL INC.



NEVER COMPROMISING



RECREATIONAL CATALOG

ComfortMax™ INFLATABLE PFD

Manual Navy, Type III
45-61018-101N

Manual Red, Type III
45-61018-101R

Auto Navy, Type II
45-61019-101N

Auto Red, Type II
45-61019-101R

Manual Navy, w/ Harness Type V*
45-61020-101N

Manual Red, w/ Harness Type V*
45-61020-101R

Auto Navy, w/ Harness Type V**
45-61021-101N

Auto Red, w/ Harness Type V**
45-61021-101R

*Type V with Type III performance.

**Type V with Type II performance.

Manual Navy, Type III
45-61098-101N

Manual Red, Type III
45-61098-101R

Approval:
USCG Approved Type III
160.076/3025/0

Re-arm Kit, Manual
45-RAKM

Re-arm Kit, Auto
45-RAKA



ComfortMax™ Inflatable PFD

Revere's ComfortMax Inflatable PFDs offer manual and automatic inflation systems, combining comfort with the convenience of instant CO₂ inflation technology. They have dual waist adjustment straps for a perfect fit, and a D-ring for connecting a kill-switch lanyard for safety. The heavy-duty 420 Denier nylon fabric covering has a clear status window with a view of the inflation system status indicator. Available in navy or red.



Product Details:

- USCG approved for persons at least 16 years of age weighing 80 lbs. and above with a chest size between 30" and 52"
- 35 lbs. of buoyancy
- Dual waist belt stainless-steel adjusters
- Exterior inflation system access flap
- Available as Automatic (with Manual Backup) or Manual inflation
- Uninflated dimensions: 20" x 12" x 3" (508 x 305 x 76mm)
- Comfortable 2" waist strap and dual back straps
- Heavy-duty 420 denier nylon outer cover
- SOLAS-grade retro-reflective tape on inflatable bladder
- The neck area has no hook and loop or edge binding to cause chafing or abrasion for all-day comfort
- Includes signal whistle



Approvals:

- Manual: USCG Approved Type III 160.076/3016/0
- Auto: USCG Approved Type II 160.076/2008/0
- Manual w/ Harness — USCG Approved 160.076/8406/0 Type V with Type III Performance / Offshore Racing Congress (ORC) World Sailing Regulation 5.02 / EN1095:1998 Compliant Safety Harness
- Auto w/ Harness — USCG Approved 160.076/8609/0 Type V with Type II Performance / Offshore Racing Congress (ORC) / World Sailing Regulation 5.02 / EN1095:1998 Compliant Safety Harness
- Not TSO are FAA approved

ComfortMax™ Belt Pack

The same quality of the original ComfortMax available in a convenient and comfortable belt pack design.



- Size: Adult Universal
- Fabric: 210 Denier Nylon — urethane-coated chamber
- Includes whistle & D-ring for kill switch lanyard on pouch
- User Weight: More than 80 lbs. (> 36 kg)
- Chest size: 30" — 52" (762 - 1321mm)
- Buoyancy: 35 lbs = 156 Newton's
- Belt webbing closure: 2" belts w/ 2" buckles
- Colors: Red, Navy
- Reflective tape on inflatable bladder
- 420 Denier outer nylon cover
- Heavy-duty buckle
- Total weight: 1.4 lbs (635g)
- 33g CO₂ cylinder
- Clear status window
- Packed dimensions: 10" x 4" x 3" (25 cm. x 10 cm. x 8 cm.)



PFD Re-Arm Kits

Important: Please review and follow additional maintenance instructions in your Owner's Manual.

- Size: 7.25" x 2" x 1.25" (184 x 51 x 32 mm)
- Contains 33g CO₂ cylinder
- Weight: 0.4 lbs. (.18 kg)
- Auto units have bobbin included.



Auto

Manual

Kru™ Sport Pro Inflatable PFD

The Kru Sport Pro waistcoat-style PFD is comfortable and compact. This inflatable PFD is ISO12402-3 (105N) approved, yet exceeds 180N of buoyancy. It has been designed for all weather conditions and water use.

Product Details:

- Quick burst zip closure
- Padded mesh systems with waist-belt retaining pockets
- Rivertext fabric gives 25% more abrasion resistance
- Foam lined for added comfort
- Integral clip on crotch strap
- Dual use inspection zipped side pockets
- Kill-cord connection loops
- Light attachment point
- Dual adjustment waist straps
- Retro-reflective tape
- 38g gas cylinder
- Oral tube & whistle
- High visibility inflation bladder
- 2 lifting beackets
- AIS Ready
- 175cm chest girth for all sizes



Hood and Harness Option

Complete with all the exceptional features of the standard Kru Sport Pro with additions of the double soft eye harness points and uniquely stowed sprayhood that sits flat across your back allowing complete freedom of movement and ultimate comfort.

Kru Re-Arm Kits

Important: Please review and follow additional maintenance instructions in your Owner's Manual.

- Contains 38g CO₂ cylinder
- Weight: 0.41 lbs. (.19 kg)
- Auto units have dissolving cartridge included



*The ultimate in
leisure lifejackets!*

Auto Black, w/ Harness
45-LIF7407

Auto Navy, w/ Harness
45-LIF7403

Re-arm Kit, Auto
45-LIF2885

Gas Cylinder, 38g
45-LIF3025

JON BUOY®

Jonbuoy® Recovery Module



Recovering a man overboard can be an extremely hazardous operation, regardless of vessel size. The Jonbuoy Recovery Module is designed to make this simple, while increasing vital visibility and buoyancy. Accepted as a direct replacement for a traditional danbuoy, horseshoe, drogue, light and whistle, specified within the World Sailing regulations.

Pushpit Mount, White
45-JON1005

Pushpit Mount, Black
45-JON1015

Bulkhead Mount, White
in Stainless Steel Cradle
45-JON1020

Bulkhead Mount, Black
in Stainless Steel Cradle
45-JON1025

Module Release Pack*
45-JON1250

Module Release Switch Pack*
45-JON1350

Release Spares Pack*
45-JON1355

Spare 315g Cylinder*
45-JON1500

*Special Order Only



Product Details:

- Automatic inflation
- Water activated light
- Slimline container
- Lifting ring and 4 point harness
- SWL of 200kg
- Retroreflective binding
- Large ballast pocket
- 5m weighted throwing line
- Compact & lightweight
- Weight: 15.5 lbs. (7 kg)
- Repackable

New Features for MK5

- Better in-water performance
- New style casing
- Retro-reflective binding
- AIS attachment patch
- Larger visible mast
- Oversized Ballast
- Fully supported lifting mechanism
- Remote station release option



Bulkhead Mount



Pushpit Mount



Back of unit with optional module release system installed

Pushpit dimensions:
15.75" x 15.25" x 9.75"
(400 x 390 x 250 mm)

Bulkhead dimensions:
15.75" x 14.0" x 6.75"
(400 x 360 x 170 mm)

Recovery Module Release System

The module release system allows the Jonbuoy Recovery Module to be remotely deployed. A simple switch system fires a small CO₂ cylinder, and allows the system to be disarmed.

Switch Pack



Release Pack



5 YEAR LIMITED WARRANTY

5-Year Limited Warranty on all Jonbuoy® products

Valid only with:

- Required initial service 12 months after purchase; Annual service intervals thereafter
- Se vice performed by Revere Survival Inc.- certified service stations
- Proper installation and use in accordance with Jonbuoy Owner's Manual
- Product must be registered online

Soft Horseshoe

These super soft traditional horseshoe lifebuoys have been designed for long term durability and high flexibility to ensure that they are suitable for all crew members. All horseshoes come with a 6mm floating safety line, a high visibility zip on cover and are available in yellow or white.

Soft Horseshoe, White
45-LBU0136

Soft Horseshoe, Yellow
45-LBU0135

Soft Horseshoe Bracket
45-LBU0138



Bracket



Jonbuoy® Danbuoy

The inflatable Jonbuoy Danbuoy is stylish, compact and weighs only 3.3kg. It can be mounted on the pushpit and is easily deployed in an emergency. In the event of a man overboard, simply unclip the unit from its mounting bracket and throw; the danbuoy then automatically inflates. It replaces the traditional danbuoy, light, drogue and whistle. Available in a black or white casing.

Product Details:

- Compact
- Meets requirements of World Sailing Regulations
- Quick and easy to use
- Highly Visible
- Light Weight
- Automatic inflation
- 33g cylinder for the Danbuoy
- Water activated light

White Case



Black Case



Dimensions:
23.22" x 5.90" x 5.90"
(590 x 150 x 150mm)



JON BUOY®

Jonbuoy Danbuoy, White Case
45-JON2005

Jonbuoy Danbuoy, Black Case
45-JON2100

Re-arm Pack (inc. 33g cylinder)
45-JON1550

5 YEAR
LIMITED
WARRANTY

5-Year Limited Warranty
on all Jonbuoy® products

Valid only with:

- Required initial service 12 months after purchase; Annual service intervals thereafter
- Service performed by Revere Su vival Inc. - certified service stations
- Proper installation and use in accordance with Jonbuoy Owner's Manual
- Product must be registered online

Danbuoy & Horseshoe Combination

This combination of Danbuoy and Horseshoe conforms to the ISAF Offshore Special Regulations and is a natural extension of the original inflatable Jonbuoy Danbuoy. This easy to fit solution comes complete with a high impact casting, rail mounting bracket, inflatable Danbuoy, inflatable Horseshoe, drogue, 2 whistles and water activated light. An optional light can also be fitted onto the horseshoe.

Product Details:

- Meets requirements of World Sailing Regulations
- Quick and easy to use
- Highly Visible
- Light Weight
- Automatic Inflation
- 33g cylinder for the Danbuoy
- 38g cylinder for the horseshoe
- Water activated light
- Back up oral inflation tube

White Case



Black Case



Dimensions:
23.22" x 5.90" x 6.10"
(590 x 150 x 155mm)



Jonbuoy Combo, White Case
45-JON2200

Jonbuoy Combo, Black Case
45-JON2250

Re-arm Pack
(inc. 33g cylinder for Danbuoy)
45-JON1550

Re-arm Pack
(inc. 38g cylinder for Horseshoe)
45-LIF2885

AQUA SPEC

AQ40S (sensor), Packaged
45-LIF2077

AQ40L (lead), Packaged
45-LIF2075

AQ40S (sensor), Bulk
45-LIF2070

AQ40L (lead), Bulk
45-LIF2065

Light Fitting Patch
45-LIF2007

AQ40 LED Lifejacket Light

Product Details

- Powerful white flashing LED dome light
- Manual and automatic water activation
- Fixing clip designed for easy attachment
- Compact design
- Maintenance free five year battery life



Technical Specifications:

Color	White LED
Activation	Water Auto / Manual
Weight	29g (AQ40S), 39g (AQ40L)
Battery Type	Lithium
Output	Minimum 2.5cd Light
Duration	Minimum 40hrs Light
Dimensions (HxWxD)	2in x .8in x 1.2in 50mm x 22mm x 31mm
Storage Life	5 Years from Date of Manufacture
Approvals	SOLAS (LSA Code), IMO Res MSC 81(70), ISO24408, USCG 161.012/96/0: 161.112/96/0



5 X TIMES LONGER*
more than 40 hours
of continuous operation

*Compared to 8 hour SOLAS
minimum standard



3 X TIMES BRIGHTER*
more than 2.5cd of
illumination

*Compared to 0.75cd SOLAS
minimum standard

Coastal Compact™ Liferaft

Ideal for coastal boaters, the Coastal Compact bridges the gap between the lifejacket and a full-feature liferaft — offering those traveling alone the smallest, lightest and most inexpensive raft available today. With double 200 lb. SuperRev™ weighted ballast pockets and sea anchor, the Coastal Compact enhances stability in rough sea conditions. Its light weight allows for easy deployment, and the compact size makes stowage easy in the smallest of spaces. Operation is easy. Just open the red flap on the valise and extend the painterline. Give a hard pull and the raft inflates automatically in less than 30 seconds with Coastal Compact's high-tech, self-contained CO₂ inflation system.



Raft includes:

- Floating knife attached to raft
- USCG-Approved water-activated locator light
- Hand pump
- Sea anchor
- Pressure relief valve
- CO₂ inflation system
- 20 ft. (6m) painterline
- Bailer
- Owner's manual

Optional Canopy

4 person

6 person

2 person

REVERE
COASTAL COMPACT



2008 NMMA Award Winner.
Ultra-light, Ultra-small!

2 Person Valise

45-CC2V
19.5" x 10" x 5" (495 x 254 x 127 mm)
13 lbs. (6.6 kg)
3.8 ft² (.35 m²)

4 Person Valise

45-CC4V
16.5" x 13" x 5" (419 x 330 x 127 mm)
16 lbs. (7.3 kg)
3.6 ft² (.33 m²)

4 Person Valise w/ Canopy

45-CC4VP
16.5" x 13" x 6" (419 x 330 x 152 mm)
18.5 lbs. (8.4 kg)
3.6 ft² (.33 m²)

6 Person Valise

45-CC6V
20" x 13" x 7" (508 x 330 x 178 mm)
20 lbs. (9.1 kg)
3.6 ft² (.33 m²)

6 Person Valise w/ Canopy

45-CC6VP
20" x 14" x 7.5" (508 x 356 x 191 mm)
23 lbs. (10.4 kg)
3.6 ft² (.33 m²)

Inflated Dimensions:

2 Person

53.29" W x 53.29" L x 8.5" H
(Max 57.68" diagonal)

4 Person

71.03" W x 71.03" L x 10.5" H
(Max 76.88" diagonal)

6 Person

84.7" W x 84.7" L x 11.71" H
(Max 91.67" diagonal)

5 YEAR
LIMITED WARRANTY

5-Year Limited Warranty
on all Revere Coastal Compacts™

Valid only with:

- Required initial service 2 years after purchase; Annual service intervals thereafter
- Service performed by Revere Survival Inc. - certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration

SUPERREV
WEIGHTED BALLAST POCKETS



SuperRev™ weighted ballast pockets



CO2 cylinder detail

Coastal Commander 2.0™ Liferaft

The Coastal Commander is Revere Survival Inc.'s answer to economy, durability and above all, safety — requiring service just once every three years! Featuring two tubes for greater freeboard and a self-erecting arch canopy, the Coastal Commander 2.0 is fitted at each corner of the raft with lead weighted deep water ballast pockets to improve stability in rough sea conditions until search and rescue arrives. These, along with many more safety features, help ensure the Coastal Commander 2.0 will keep you safe on the water.

Raft Features:

- Boarding ladder
- Righting line on floor bottom
- (4) Ballast bags w/fast deploying weights
- Sea anchor w/100 ft (30m) tow line
- Floating rescue ring and 100 ft (30m) line
- Adhesive bonded and taped seams, inside and out
- Vacuum-packed for protection against the environment and to minimize service costs
- Self-erecting canopy with:
 - Weatherproof, double zippered door
 - Rear rainwater collector
- Neoprene coated polyester tube and floor
- Polyurethane coated polyester canopy
- Interior and exterior safety lines
- Floating raft knife
- Pressure relief valves
- 4 ft² of floor space per person

Raft Includes:

- Air pump
- Bailer
- Rescue whistle
- Repair Kit
- First Aid Kit
- 2 paddles
- Seasick bags
- Seasick tablets
- Water-tight Flashlight
- Spare flashlight batteries
- 2 USCG/SOLAS approved red hand flares
- 2 sponges
- Instruction handbook



6 Person Valise
45-COASTC02-6V
 27" x 17.5" x 10.5"
 (686 x 445 x 267 mm)
 65 lbs. (29.5 kg)

6 Person Container
45-COASTC02-6C
 30.5" x 21.5" x 13.5"
 (775 x 546 x 343 mm)
 78 lbs. (35 kg)

6 Person Cradle
45-004CRAD
 32.5" x 23.5" x 7.25"
 (825 x 597 x 184 mm)
 9.5 lbs. (4.3 kg)

Cradle



Container



12

YEAR
LIMITED
WARRANTY

12-Year Limited Warranty
 on all Revere Commanders™

Valid only with:

- Required 3-Year service intervals
- Service performed by Revere Survival Inc.- certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration



Valise

Coastal Elite™ Liferaft

Looking for the best coastal liferaft available today? Look no further. The Revere Coastal Elite has every bell and whistle possible and is the lightest weight raft in its class starting at just 45 lbs. The Coastal Elite offers the entire crew easy usage when facing the stress of a life-threatening situation as opposed to other liferafts that can be difficult to lift and transport at the time of need.



Raft Features:

- Large, oversized tube 13 inches in diameter
- Spacious 4-square feet-per-person interior
- Automatically inflated canopy
- Floating rescue ring and 75ft line
- Extra large weighted Ballast pockets for stabilization in rough seas
- Extensive equipment pack including USCG/SOLAS pyrotechnics
- Floating knife attached to raft
- 4 ft² of floor space per person
- Self-Deployed sea anchor
- Zippered windows
- Vacuum packed
- Retro-Reflective strips
- Heavy duty boarding ladder
- Baffled tube



Raft Includes:

- 2 red hand flares (USCG/SOLAS)
- Bailer
- Signal mirror
- Paddles
- Repair kit
- Seasick tablets
- Paddles
- Repair kit
- Seasick tablets
- Water-tight flashlight
- Extra flashlight batteries
- Whistle
- Sponge
- Handpump
- Owner's manual

Inflatable Floor



Cradle



Container



Valise

12 YEAR
LIMITED WARRANTY

12-Year Limited Warranty on all Revere Coastal Elites™

Valid only with:

- Required 3-Year service intervals
- Service performed by Revere Survival Inc. - certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration

4 Person Valise

45-CE4V

25" x 18.5" x 10"
(625 x 470 x 254 mm)

45 lbs. (20 kg)

4 Person Container

45-CE4C

31.5" x 22" x 12.5"
(800 x 559 x 318 mm)

62 lbs. (28 kg)

6 Person Valise

45-CE6V

28" x 17.5" x 11.5"
(711 x 445 x 292 mm)

50 lbs. (23 kg)

6 Person Container

45-CE6C

31.5" x 22" x 12.5"
(800 x 559 x 318 mm)

67 lbs. (30 kg)

8 Person Valise

45-CE8V

30" x 19" x 12.5"
(762 x 483 x 318 mm)

56 lbs. (25 kg)

8 Person Container

45-CE8C

31.5" x 22" x 12.5"
(800 x 559 x 318 mm)

73 lbs. (33 kg)

Cradle

45-OE4CRAD

21.5" x 14" x 5.5"
(546 x 356 x 140 mm)

6.75 lbs. (3 kg)

Offshore Commander 2.0™ Liferaft

The Offshore Commander™ 2.0 provides the same durable quality as the Coastal Commander™ 2.0, yet is suitable for offshore boating. It's the latest in offshore liferafts by Revere. We promise you peace of mind that you WILL be safe at sea!



4 Person Valise

45-OC2-4V
26" x 18" x 9"
(660 x 457 x 229 mm)
67 lbs. (30.4 kg)

4 Person Container

45-OC2-4C
30.5" x 21.5" x 13.5"
(775 x 546 x 343 mm)
80 lbs. (36.3 kg)

6 Person Valise

45-OC2-6V
30" x 18" x 11"
(762 x 457 x 279 mm)
74 lbs. (33.4 kg)

6 Person Container

45-OC2-6C
30.5" x 21.5" x 13.5"
(775 x 546 x 343 mm)
86 lbs. (39 kg)

8 Person Valise

45-OC2-8V
32" x 21" x 12"
(813 x 533 x 305 mm)
92 lbs. (41.7 kg)

8 Person Container

45-OC2-8C
32.5" x 23" x 14"
(826 x 584 x 356 mm)
103 lbs. (46.7 kg)

4-6 Person Cradle

45-004CRAD
32.5" x 23.5" x 7.25"
(825 x 597 x 184 mm)
9.5 lbs. (4.3 kg)

8 Person Cradle


45-008CRAD
36" x 24.5" x 7.25"
(914 x 622 x 184 mm)
9.5 lbs. (4.3 kg)

Raft Features:

- Foam insulated floor for cold water
- Exterior locator light
- Retro-reflective tape
- Boarding ladder
- Righting line on floor bottom
- Self-erecting canopy with:
 - Weatherproof, double zippered door
 - Rear rainwater collector
- Adhesive bonded and taped seams, inside and out
- Vacuum-packed
- Neoprene coated polyester tube and floor
- Polyurethane coated polyester canopy
- Interior and exterior safety lines
- 4 Ballast bags w/fast deploying weights
- Sea anchor w/100 ft (30m) tow line
- Floating rescue ring and 100 ft (30m) line
- Floating raft knife
- Pressure relief valves
- 36 ft. (11 m) painterline
- 4 ft² of floor space per person

Equipment Pack Includes:

- 2 USCG approved red hand flares
- 1 USCG approved parachute rocket
- Air pump
- Rescue whistle
- Signal mirror
- Repair kit
- First aid kit
- 2 wooden paddles
- Seasick bags
- Seasick tablets
- Bailer
- Water-tight flashlight
- Sea anchor
- Instruction handbook
- 2 sponges
- Spare flashlight batteries
- Drinking water



Cradle



Container



Valise

12 YEAR
LIMITED
WARRANTY

12-Year Limited Warranty
on all Revere Commanders™

Valid only with:

- Required 3-Year service intervals
- Service performed by Revere Survival Inc. - certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration

Offshore Elite™ Liferaft

Looking for the best offshore liferaft available today? Look no further. The Revere Offshore Elite has every bell and whistle possible, and it is the lightest weight raft in its class starting at just 54 lbs! The Offshore Elite offers the entire crew easy usage when facing the stress of a life-threatening situation as opposed to other liferafts that can be difficult to lift and transport when an emergency situation arises.



Inflatable Floor



Raft Includes:

- 3 red hand flares (USCG/SOLAS)
- 2 parachute signal rockets
- Bailer
- 1 signal mirror
- 2 paddles
- Seasick tablets
- Water-tight flashlight
- Extra AA flashlight batteries
- Whistle
- First Aid kit
- Fishing kit
- Repair kit
- Food rations
- Drinking water
- Owner's manual
- 2 sponges
- Scissors
- Hand pump

Raft Features:

- Large, multi-chambered tube at 11.25 inches in diameter
- Spacious 4-square feet-per-person interior
- Automatically inflated canopy
- Self-deployed sea anchor
- Rain Collectors
- Inflatable floor
- Zippered windows
- Self-deployed sea anchor
- Floating knife attached to raft
- Stowage pockets
- Flashing strobe
- Extensive equipment pack including USCG/SOLAS pyrotechnics
- Vacuum packed for greater protection and minimize servicing costs
- Heavy-duty, self-inflating boarding ramp
- Extra large weighted ballast pockets for stabilization
- Floating rescue ring and 75 ft (23 m) line



Cradle



Container



Valise

12 YEAR
LIMITED WARRANTY

12-Year Limited Warranty
on all Revere Coastal Elites™

Valid only with:

- Required 3-Year service intervals
- Service performed by Revere Survival Inc. - certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration

4 Person Valise

45-OE4V
28" x 19" x 12"
(711 x 432 x 305 mm)
55 lbs. (24 kg)

4 Person Container

45-OE4C
31.5" x 22" x 12.5"
(800 x 559 x 318 mm)
71 lbs. (32 kg)

6 Person Valise

45-OE6V
30" x 17" x 13"
(762 x 432 x 330 mm)
63 lbs. (29 kg)

6 Person Container

45-OE6C
34" x 25" x 13"
(864 x 635 x 330 mm)
81 lbs. (37 kg)

8 Person Valise

45-OE8V
36.5" x 19" x 11"
(927 x 483 x 279 mm)
72 lbs. (33 kg)

8 Person Container

45-OE8C
34" x 25" x 13"
(864 x 635 x 330 mm)
88 lbs. (40 kg)

4 Person Cradle

45-OE4CRAD
21.5" x 14" x 5.5"
(546 x 356 x 140 mm)
6.75 lbs. (3 kg)

6-8 Person Cradle

45-OE6CRAD
24" x 17" x 5.5"
(610 x 432 x 140 mm)
7.5 lbs. (3.5 kg)

REVERE
AERO
COMPACT
liferaft

Aero Compact™ Liferaft

Ideal for general aircraft, the compact and lightweight Aero Compact™ offers an enhanced level of safety for over-water flights. With double 200 lb. SuperRev ballast pockets, the Aero Compact enhances stability in the roughest of sea conditions. Its light weight allows for easy deployment, and the compact size makes stowage easy even in the smallest of spaces.

2 Person Valise

45-AC2V
14" x 9" x 5" (356 x 229 x 127 mm)
13 lbs. (6 kg)
3.8 ft² (.35 m²)

2 Person Valise w/ Canopy

45-AC2VP
14" x 9" x 6" (356 x 229 x 152 mm)
15.5 lbs. (7 kg)
3.8 ft² (.35 m²)

4 Person Valise

45-AC4V
14" x 11" x 5" (356 x 280 x 127 mm)
15.5 lbs. (7 kg)
3.6 ft² (.33 m²)

4 Person Valise w/ Canopy

45-AC4VP
14" x 11" x 5" (356 x 280 x 127 mm)
18 lbs. (8.2 kg)
3.6 ft² (.33 m²)

4 Person Valise w/ Canopy & Standard Kit

45-AC4V-K
14" x 11" x 8" (356 x 280 x 203 mm)
20 lbs. (9 kg)
3.6 ft² (.33 m²)

4 Person Valise w/ Canopy & Standard Plus Kit

45-AC4V-K2
14" x 11" x 8" (356 x 280 x 203 mm)
22 lbs. (10 kg)
3.6 ft² (.33 m²)

4 Person Valise w/ Canopy & Deluxe Kit

45-AC4V-K3
14" x 11" x 8" (356 x 280 x 203 mm)
24.5 lbs. (11 kg)
3.6 ft² (.33 m²)

Inflated Dimensions:

2 Person
53.29" W x 53.29" L x 8.5" H
(Max 57.68" diagonal)

4 Person
71.03" W x 71.03" L x 10.5" H
(Max 76.88" diagonal)



Kit Contents



Valise

SUPERREV
WEIGHTED
BALLAST POCKETS



SuperRev™ weighted ballast pockets



CO2 cylinder detail

Raft Features:

- Bridges the gap between the lifejacket and the full feature liferaft
- Smallest, lightest and least expensive raft available today
- Double 200 lb. weighted SuperRev™ Ballast Pockets for stability
- Optional canopy in international orange
- Raft inflates automatically in less than 30 seconds with self-contained CO2 inflation system
- Single tube, single compartment construction
- Tube and floor fabric: polyurethane coated nylon fabric
- RF welded and adhesive bonded tape seams
- Valise: Durable weather and UV-resistant vinyl-coated polyester with optional, detachable equipment pack/kit
- Pressure Relief Valve

Included Equipment:

- Hand Pump
- Sea Anchor
- Floating Knife
- Bailer
- Water Activated Light

	Standard Kit	Standard Plus Kit	Deluxe Kit
Food Rations (1,000 Calories/Package)	1	1	2
Drinking Water (4.2 oz./Package)	8	8	0
Desalting Kit (Makes 8 Pints Water)	0	0	1
Canopy Assembly	1	1	1
Canopy Arch Assembly	1	1	1
Utility knife	0	1	1
Flashlight, 2xAA size	1	1	1
Batteries, size AA	2	2	2
First Aid Kit	1	1	0
Sponge	0	1	1
Whistle and Lanyard Assembly	1	1	1
Signal Mirror	1	1	1
Signal Flare Kit	1	1	1
Sea Dye Marker	1	1	1
Repair Kit	1	1	1
Radar-Reflective Thermal Blanket	0	0	1
Compass	0	0	1
Liferaft Paddles	0	0	2
Fishing Kit	0	0	1
Survival Manual	0	1	1
Survival Kit Valise Assembly	1	1	1

5 YEAR
LIMITED
WARRANTY

5-Year Limited Warranty
on all Revere Aero Compacts™

Valid only with:

- Required initial service 2 years after purchase; Annual service intervals thereafter
- Service performed by Revere Survival Inc- certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration

Aero Elite™ Liferaft

If your flight plan includes time over water, Revere's Aero Elite liferaft should be on your pre-flight checklist. The ultimate lightweight liferaft for general aviation, the Aero Elite 4 weighs only 45 lbs! Also available in 6 and 8 person models, the Aero Elite is the most compact, lightweight general aviation liferaft in its class making it easy to stow and deploy. The Aero Elite features one large oversized 13" tube; vertical bulkheads inside divide the tube into two independent air-holding compartments, so if one compartment is punctured, the other keeps you afloat. Offering a spacious 4-square feet per person, the Aero Elite also includes a heavy-duty boarding ladder for entry assistance. The Aero Elite also features an inflatable floor, automatically inflated canopy, stowage pockets, zippered windows, flashing strobe, four extra-large, 200 lb ballast pockets, an extensive survival equipment pack including USCG/SOLAS flares and much more. The Aero Elite is vacuum-packed to add greater protection against the environment and minimize servicing costs as service is required just once every three years.

Raft Features:

- Large, oversized tube 13 inches in diameter
- Spacious 4-square feet-per-person interior
- Automatically inflated canopy
- Heavy duty boarding ladder
- Extra large weighted ballast pockets for stabilization in rough seas
- Multi-chambered tube
- Extensive equipment pack including USCG/SOLAS pyrotechnics
- Vacuum packed
- Rain Catcher
- Inflatable floor
- Stowage pockets
- Zippered windows
- Flashing strobe
- Baffled tube

Raft Includes:

- 2 Red hand flares (USCG/SOLAS)
- Bailer
- Signal Mirror
- Paddles
- Repair Kit
- Seasick Tablets
- Water Tight Flashlight
- Extra Flashlight Batteries
- Whistle
- Sponge
- Floating Knife
- Handpump
- Owner's Manual

Interior



12-Year Limited Warranty
on all Revere Aero Elites™

Valid only with:

- Required 3-Year service intervals
- Service performed by Revere Survival Inc. - certified service stations
- Proper installation and use in accordance with Revere Owner's Manual
- Warranty registration



Valise

REVERE
AERO
liferaft
Elite

4 Person Valise

45-AE4V

25" x 18.5" x 10"
(625 x 470 x 254 mm)

45 lbs. (20 kg)

6 Person Valise

45-AE6V

28" x 17.5" x 11.5"
(711 x 445 x 292 mm)

50 lbs. (23 kg)

8 Person Valise

45-AE8V

30" x 19" x 12.5"
(762 x 483 x 318 mm)

56 lbs. (25 kg)

Ocean ISO Ultralite Liferaft

6 Person Valise

45-RAF0405

30" x 18" x 10" (760 x 450 x 260 mm)
63 lbs. (29 kg)

6 Person Container

45-RAF0375

31" x 20.5" x 11" (788 x 518 x 280 mm)
62 lbs. (28 kg)

8 Person Valise

45-RAF0410

30" x 18" x 10" (760 x 450 x 260 mm)
71.5 lbs. (32.5 kg)

8 Person Container

45-RAF0385

31" x 20.5" x 11" (788 x 518 x 280 mm)
77 lbs. (35 kg)

10 Person Valise

45-RAF0415

34" x 18" x 10.5" (860 x 450 x 270 mm)
74 lbs. (33.5 kg)

10 Person Container

45-RAF0395

31" x 20.5" x 11" (788 x 518 x 280 mm)
79 lbs. (36 kg)

12 Person Valise

45-RAF0420

34" x 18" x 10.5" (860 x 450 x 270 mm)
81.5 lbs. (37 kg)

12 Person Container

45-RAF0400


31" x 20.5" x 14" (788 x 518 x 360 mm)
87 lbs. (39.5 kg)

The UltraLite liferaft can be offered with either a black carbon fiber container or valise and has a carbon fiber wrapped aluminum cylinder which gives up to 30% weight saving compared to the traditional range of Ocean ISO liferafts'.

Raft Features:

- Water ballast that exceeds ISO requirements
- SOLAS approved lighting systems
- Class XII and World Sailing Special Regulations
- Pictorial instructions printed on the raft
- Designed, tested and manufactured in the UK
- <24 hour pack included
- Meets requirements under current MCA Code of Practice
- 3 year service interval
- Rain water collection
- Observation port

Insulated Flooring



Equipment Pack



Carbon wrapped aluminum gas cylinder



Please note:
SOLAS B and >24 equipment pack available by special order.

< 24 hour equipment pack

- Buoyant knife
- Bailer
- Sponges
- Paddles
- Whistles
- Torches
- Signal Mirror
- Anti Seasick Pills
- Red H/H Flares
- Para Rocket Flares
- Repair Kit
- Bellows
- Throwing Line - 30m
- Drogue

Valise



Container

Ocean ISO Liferaft

The Ocean ISO 9650 Liferaft is compact and of superior design and construction. This liferaft meets the requirements under current MCA Codes Of Practice, Class XII and World Sailing offshore special regulations and was the first liferaft to be third party verified by the RYA to ISO9650 Type 1 Group A requirements. Using years of experience in designing and servicing liferafts we have developed this innovative, lightweight liferaft.

Raft Features:

- Made with PU nylon laminate
- Over Sized ballast pockets for increased stability
- Comes standard with <24 pack
- Highly visible in yellow and orange
- External and internal lighting system
- Hermetically sealed
- Retro reflective tape
- Rain water collection
- 3 Year service interval
- Insulated floor
- Rigid boarding ramp
- Auto-activation light



< 24 hour equipment pack

- Buoyant knife
- Bailer
- Sponges
- Paddles
- Whistles
- Torches
- Signal Mirror
- Anti Seasick Pills
- Red H/H Flares
- Para Rocket Flares
- Repair Kit
- Bellows
- Throwing Line - 30m
- Drogue
- Water



Please note:
SOLAS B and > 24 equipment pack available by special order.




Valise



Container


Ocean Compact / ISO Cradle 45-10CPTCRAD



Cradle

- 4 Person Valise
45-RAF0100
26.5" x 16.5" x 9.5" (670 x 420 x 240 mm)
62 lbs. (28 kg)
- 4 Person Container
45-RAF0105
28" x 19" x 10" (710 x 490 x 260 mm)
66 lbs. (30 kg)
- 6 Person Valise
45-RAF0110
29" x 17" x 9.5" (740 x 430 x 240 mm)
77 lbs. (35 kg)
- 6 Person Container
45-RAF0115
31.5" x 20.5" x 11.5" (800 x 520 x 290 mm)
88 lbs. (40 kg)
- 8 Person Valise
45-RAF0120
29" x 17.5" x 10" (740 x 440 x 250 mm)
88 lbs. (40 kg)
- 8 Person Container
45-RAF0125
31.5" x 20.5" x 11.5" (800 x 520 x 290 mm)
101.5 lbs. (46 kg)
- 10 Person Valise
45-RAF0130
33.5" x 18" x 10" (850 x 450 x 260 mm)
103.5 lbs. (47 kg)
- 10 Person Container
45-RAF0135
35" x 20.5" x 10" (890 x 520 x 260 mm)
117 lbs. (53 kg)
- 12 Person Container
45-RAF0140
35" x 20.5" x 10" (890 x 520 x 260 mm)
123.5 lbs. (56 kg)

Nationwide Service Station Network



All Revere service stations are equipped with the latest tooling, service manuals, and factory-authorized spare parts. Our technicians are trained and certified to meet the highest standards as set forth by Revere Survival Inc. For all your servicing requirements, contact one of our authorized Revere service stations. Our list of stations can be found on our website, www.reveresurvival.com, or simply call our customer service department at 904-503-9733 (toll-free at 1-866-904-7360).



5323 Highway Avenue, Jacksonville, FL 32254

Tel: 904.503.9733
Fax: 904.503.9719
Email: sales@reveresurvival.com
Web: www.reveresurvival.com



Catalog Release Date: January 2019
©2019 Revere Survival Inc.